



Пентаса®  
месалазин

## Язвенный колит под контролем<sup>1,2</sup>

Действует на всем  
протяжении кишечника<sup>3,4</sup>,  
вне зависимости  
от локализации процесса

Эффективный результат  
и при снижении кратности  
приёма до 1-2 раз в сутки<sup>1-3, 5</sup>

Эффективная индукция  
и поддержание ремиссии язвенного колита



<sup>1</sup> Dignass A. et al. Symptoms resolution and clinical remission in patients with mild-to-moderate ulcerative colitis: analysis of the PODIUM trial. ECCO 2013 P360.

<sup>2</sup> Nagahori M. et al. Real life results in using 5-ASA for maintaining mild to moderate UC patients in Japan, a multi-center study, OPTIMUM Study. BMC Gastroenterology (2017) 17:47.

<sup>3</sup> Bokemeyer B. et al. Mesalazine in left-side ulcerative colitis: Efficacy analyses from the PODIUM trial on maintenance of remission and mucosal healing. Journal of Crohn's and Colitis. 2012; 6:476-482.

<sup>4</sup> Layer P. H. et al. Delivery and fate of oral mesalamine microgranules within the human intestine. Gastroenterology. 1995; 108(5):1427-33.

<sup>5</sup> Инструкция по применению препарата Пентаса®.